

SKP UV PRINTERS



Products catlog



A3 - 3050 UV PRINTER

SKP UV Printers



9894667887



PRODUCT PARAMETERS

| 3050uv printer | | | | | |
|------------------------------|--|--------------------------|--|-------------------------------|---|
| Model | 3050 | Antifreeze | Heating system (optional) | Equipment size | 69*77*55cm |
| Print size | 30*50cm | Anti blocking | Original ink cartridge system automatic mixing | Power | AC220/110,50Hz~60Hz |
| Print head | Epson print head | Protect | Manual collision detection | Work environment | Temperature 15 ~ 35 humidity 20 ~ 30% |
| Print color | CMYK + W | Maintain | Automatic cleaning / manual cleaning | Output software | RIIN |
| Print height | 0 ~ 180mm (customizable) | Printing platform | Tempered glass platform | Automatic continuation | The number of times can be set to automatically repeat printing |
| Print quality | Pictures with resolution of 720dpi / 1440dpi / 2880dpi / 5760dpi / 11520dpi can be printed | Print mode | Unidirectional / bidirectional | Ink supply | Automatic ink supply system |
| Lifting function | Platform lifting | Height adjustment | manual adjustment | Curing system | Led UV lamp |
| Number of print heads | 1 | Special effects | Relief | Interface | Ethernet |
| Printing technology | Variable ink drop Technology | Ink | UV curing ink | File format | TFF, BMP, PDF, EPS, JPG, etc |
| Color output | White and color appear together | Motor | Stepper motor | Cylinder | Support printing |
| Weight | about45.5kg | Transmission mode | XY axis single guide rail + motor | Operating system | Xp/Win7/Win10 |
| Print Example | Phone case/leather/ceramic tile/nameplate/acrylic/glass/wooden board/PVC card/cardboard/metal board/P-P/PE/package box/toys, etc | | | | |

SKP UV PRINTERS

A3 - 3254 UV PRINTER



Machine Parameter

| | | | |
|---------------------|------------------|----------------------------|-----------------------|
| Print head: | 2PCS EPSON XP600 | Printing Speed: | A3 3 minutes |
| Image Format: | TIFF/PSD | Power: | 450W |
| Printing size: | 500x320mm | Voltage: | 110V-220V |
| RIP software: | RIIN | Operating Environment: | 10-35° 20-80RH |
| Color: | WWW-CMYK+VVV | Computer system: | Windows7/8/10 |
| Max Resolution: | 720X1440dpi | Data port: | Gigabit network port |
| Printing Thickness: | 0mm-135mm | Package size/Gross weight: | 106cm*88cm*80cm 125kg |

5060 UV PRINTER



SKP UV Printers



9894667887

| | | | |
|--------------------|--|----------------------|--|
| Model | 5060 | Name | UV printer |
| Printing head | Epson high-speed printing nozzle | Print size | 50*60cm |
| Output color | CMYK+W+varnish | Printing height | 0-150mm |
| Printing accuracy | Printable images with a resolution of 720/1440/2880/5760dpi | Number of prin heads | 1~2 |
| Antifreeze | Optional additional purchase | Printing Technology | Variable Ink Drop Technology |
| Anti blocking | Flash spray anti blocking, automatic mixing | Eye protection | UV radiation protection |
| clean | Automatic/manual cleaning | Printing platform | Alloy adsorption/glass platform (optional) |
| Lifting function | Platform lifting | Printing direction | One Way/Two Way |
| Height adjustment | Manual adjustment | Special effect | relief/varnish |
| Inkjet technology | Micro piezoelectric inkjet | Ink level detection | Multi channel real-time ink shortage alarm |
| Cylinder | supports printing | Ink type | UV ink |
| Printing speed | 6pass/8pass | Guide rail | imported linear guide rail |
| Power | Stepper motor | Transmission | XY axis guide rail+motor |
| Software | Ruiyin/Montai | Automatic mode | fully automatic repeated printing |
| Ink supply | Fully automatic ink supply | Curing method | UV, UV curing, instant drying |
| Data | high-speed USB or gigabit network card | Dynamic printing | Automatically change code/name/date, etc. (optional) |
| Power | AC220/110 50Hz~60Hz | Environmental | temperature 15-35, humidity 20-30% |
| file format | jpg、png、pdf、tif、eps ,etc | Operating System | Win7, 8, 10 |
| Weight | About 110kg | Equipment size | 100*78*65cm |
| Printing materials | can be used in glass, plate, various signs, crystal, PVC, acrylic, metal Color photo printing on surfaces such as plastic, stone, leather, etc | | |



6090 UV PRINTER

The all steel structure frame ensures machine accuracy. The steel crossbeam has been used normally for more than 10 years without deformation. 10 years of experience in research and development and production of ink systems, resulting in smoother ink supply. Ultra precision printing with a minimum ink drop of 3.5PL



High definition and delicate

Variable ink droplets for imported nozzles



Full color printing

Rich and beautiful colors that catch the eye



maintainable

Automatic cleaning flash spray anti blocking



6090UV printer intelligent UV printer

| | | | | | |
|------------------------------|--|--------------------------|---|----------------------------------|---|
| Model | 6090 | freeze-proofing | Heating system (optional) | Equipment size | About 1.4 * 1.56 * 0.76m |
| Print Size | 60*90cm | Anti blocking | Original ink cartridge system with automatic mixing | Power | AC220/110,50Hz~60Hz |
| Print head | Epson print head | Ink stack | Automatic rising-lowering | environment | Temperature 15-35, humidity 20-30% |
| Print color | CMYK+W+varnish | maintenance | Automatic cleaning/manual cleaning | Output software | RIIN |
| Printing height | 0~150mm (customizable) | Printing platform | Glass/alloy suction platform (optional) | automatic rising-lowering | Automatic induction lifting |
| print quality | Resolution 720dpi/1440dpi/2880dpi/5760dpi/11520dpi images can be printed | Print mode | Unidirectional/Bidirectional | Ink supply | Siphon ink supply system |
| Lift function | Head lifting and lowering | height adjust | Active height limit/manual adjustment | curing system | LED UV lamp |
| Number of print heads | 2-3 (optional) | Special effects | Relief/glossy oil | interface | High speed USB |
| Printing Technology | Variable ink droplet technology | Ink | UV ink | file format | Tif, BMP, PDF, EPS, JPG, etc |
| Color output | White, color, and varnish | motor | High precision motor | control deck | The integrated console is easy to operate |
| weight | 140.5KG | transmission | X-axis guide rail+motor Y-axis guide rail+motor | operating system | Xp/Win7/Win10 |

Print Example Phone case/leather/tile/nameplate/acrylic/glass/wooden board/PVC card/cardboard/metal board/PP/PE/fabric/cylinder/wine bottle/thermos/PT-FE/package box/luggage/toys, etc

SKP UV Printers



6090 Plus UV Printer

9894667887



Alloy platform

Silent track

Negative pressure ink supply
High-Speed Printing

servo motor

Lifetime after-sales service

| | | | |
|-----------------------|------------------------|---------------------------|-------------|
| Extra purchase | CCD visual positioning | Cylinder printing fixture | UV DTF Film |
|-----------------------|------------------------|---------------------------|-------------|

6090 Premium Edition intelligent UV printer

| | | | | | |
|------------------------------|---|--------------------------|---|-------------------------------|---|
| Model | 6090 PREMIUM UV PRINTER | Antifreeze | heating system(optional) | Equipment size | 1.37*1.7*0.76m |
| Print size | 60*90cm | Anti blocking | Original ink cartridge system automatic mixing | Power | AC220/110,50Hz~60Hz |
| Print head | Xp600 double head, xp600 triple head, Epson 11600 triple head,Ricoh g5i triple head(Optional) | Protect | Automatic detection and collision avoidance | Work environment | Temperature 15 ~ 35, humidity 20 ~ 30% |
| Print color | CMYK + W + varnish | Maintain | Automatic cleaning / manual cleaning | Output software | RIIN |
| Print height | 0 ~ 200mm (customizable) | Platform | Alloy or tempered glass platform (optional) | Automatic continuation | The number of times can be set to automatically repeat printing |
| Print quality | Pictures with resolution of 720dpi / 1440dip / 2880dpi / 5760dpi / 11520dpi can be printed | Print mode | Unidirectional / bidirectional | Ink supply | Automatic negative pressure ink supply system(Optional) |
| Lift | Print head lifting | Height adjustment | Manual adjustment | Curing system | LED UV灯 |
| Number of print heads | 2 ~ 3 (optional) | Special effects | Relief / varnish | Interface | Ethernet |
| Printing technology | Variable ink drop Technology | Ink | UV curing ink / textile ink (optional) | File format | tff、bmp、pdf、eps、jpg |
| Color output | White, color, and varnish | Servo motor | High precision servo motor | Dynamic printing | Automatically change code, name and date system |
| Weight | 190KG | Transmission mode | X-axis single guide rail + motor Y-axis guide rail + motor | Operating system | Xp/Win7/Win10 |

Print instance Mobile phone case / leather / ceramic tile / nameplate / acrylic / glass / Wood / PVC card / cardboard / metal plate / PP / PE / cloth / cylinder / wine bottle / thermos cup / PTFE / packing box / luggage / toys, etc



6090 HD UV Printer

9894667887

The all steel structure frame ensures machine accuracy. The steel crossbeam has been used normally for more than 10 years without deformation. 10 years of experience in research and development and production of ink systems, resulting in smoother ink supply. Ultra precision printing with a minimum ink drop of 3.5PL



| | | | |
|----------------|------------------------|---------------------------|-------------|
| Extra purchase | CCD visual positioning | Cylinder printing fixture | UV DTF Film |
|----------------|------------------------|---------------------------|-------------|

6090 Premium Edition intelligent UV printer

| | | | | | |
|------------------------------|--|--------------------------|---|-------------------------------|---|
| Model | 6090 PREMIUM UV PRINTER | Antifreeze | heating system(optional) | Equipment size | 177 * 139 * 83.6cm |
| Print size | 60*90cm | Anti blocking | Original ink cartridge system automatic mixing | Power | AC220/110,50Hz~60Hz |
| Print head | Industrial grade i3200/1600/G5i | Protect | Automatic detection and collision avoidance | Work environment | Temperature 15 ~ 35, humidity 20 ~ 30% |
| Print color | CMYK + W + varnish | Maintain | Automatic cleaning / manual cleaning | Output software | RIIN |
| Print height | 0 ~ 200mm (customizable) | Platform | Alloy or tempered glass platform (optional) | Automatic continuation | The number of times can be set to automatically repeat printing |
| Print quality | Pictures with resolution of 720dpi / 1440dpi / 2880dpi / 5760dpi / 11520dpi can be printed | Print mode | Unidirectional / bidirectional | Ink supply | Automatic negative pressure ink supply system(Optional) |
| Lift | Print head lifting | Height adjustment | Manual adjustment | Curing system | LED UV lamp |
| Number of print heads | 2 ~ 3 (optional) | Special effects | Relief / varnish | Interface | Ethernet |
| Printing technology | Variable ink drop Technology | Ink | UV curing ink / textile ink (optional) | File format | tff、bmp、pdf、eps、jpg |
| Color output | White light oil comes out at the same time | Servo motor | High precision servo motor | Dynamic printing | Automatically change code, name and date system |
| Weight | ABOUT 200KG | Transmission mode | X-axis single guide rail + motor Y-axis guide rail + motor | Operating system | Xp/Win7/Win10 |

Print instance Mobile phone case / leather / ceramic tile / nameplate / acrylic / glass / Wood / PVC card / cardboard / metal plate / PP / PE / cloth / cylinder / wine bottle / thermos cup / PTFE / packing box / luggage / toys, etc

SKP UV PRINTERS

1612 UV Printer



DETAILED EXPLANATION OF TECHNICAL PARAMETERS

| | | | |
|---|---|---|--|
| Model 1612UV printer | Print head configuration 1600, Epson i3200, Ricoh G5, Ricoh g5i (optional) | Speed mode (1.5 ~ 3 times faster than peers) 3pass 10~20m ² /4pass 8~15m ² 6pass 5~10m ² | Ink type UV ink |
| Print range 1600*1200 mm | Antifreeze system Built in heating system | Weight 690kg | Servo motor High precision servo motor |
| Print color CMYK + W + varnish | Anti blocking Automatic mixing for flash injection and anti blocking | Size 3050*1840*1430mm | Transmission mode X、Y-axis guide rail + motor |
| Print height 0~150mm | Protect Automatic detection and collision avoidance | Power AC220/110 50Hz~60Hz | Automatic continuation Automatic repeat printing can be set |
| Print quality resolution 720 / 1440 / 2880 / 5760 / 11520dpi pictures can be printed | Maintain Automatic cleaning manual cleaning | Work environment Temperature 15 ~ 35 humidity 20 ~ 30% | Ink supply Automatic negative pressure ink supply |
| Lifting function Printing head lifting | Printing platform Alloy suction platform | Software RIP | Curing mode Led UV is ready to dry |
| Number of print heads (3 ~ 4) | Print direction Unidirectional / bidirectional | File format TIF, BMP, PDF, EPS, JPG, etc | Interface High speed USB |
| Printing technology Variable ink drop Technology | Height adjustment Automatic height measurement | Operating system XP、Win7/8/10 | Instant printing Automatic change code / name / date printing |
| Color output White light oil comes out at the same time | Special effects Relief / gloss | | |
| Print case It can be used in wood, glass, crystal, PVC, ABS, acrylic, metal, plastic, stone and leather Color photo printing shall be carried out on the surface of cloth and other textiles | | | |



9894667887

2513 UV PRINTER

INDUSTRIAL GRADE UVPRINTING MACHINE

Adopting Precision Core micro thin film piezoelectric printing chip, 2.5PL variable point can achieve high-definition image level, The color blocks are cleaner and smoother, The ink droplets sprayed at the same time are close to the circle, accurately positioning the image. Support variable ink drop technology, achieve multi grayscale printing, reduce the graininess of the image, make the color transition smoother, and bring high saturation and bright color output.



| | | | |
|--|--|---|---|
| Model 2513UV printer | Print head configuration Epson 1600, Epson i3200, Ricoh G5, Ricoh g5i (optional) | Speed mode (1.5 ~ 3 times faster than peers) 3pass 10~20m ² /4pass 8~15m ² 6pass 5~10m ² | Ink type UV ink |
| Print range 2500*1300mm | Antifreeze system Built in heating system | Weight 550kg | Servo motor High precision servo motor |
| Print color CMYK + W + varnish | Anti blocking Automatic mixing for flash injection and anti blocking | Size 4030*1920*1305mm | Transmission mode X、Y-axis guide rail + motor |
| Print height 0~150mm | Protect Automatic detection and collision avoidance | Power AC220/110 50Hz~60Hz | Automatic continuation Automatic repeat printing can be set |
| Print quality resolution 720 / 1440 / 2880 / 5760 / 11520dpi pictures can be printed | Maintain Automatic cleaning manual cleaning | Work environment Temperature 15 ~ 35 humidity 20 ~ 30% | Ink supply Automatic negative pressure ink supply |
| Lifting function Printing head lifting | Printing platform Alloy suction platform | Software RIP | Curing mode Led UV is ready to dry |
| Number of print heads (3 ~ 4) | Print direction Unidirectional / bidirectional | File format TIF, BMP, PDF, EPS, JPG, etc | Interface High speed USB |
| Printing technology Variable ink drop Technology | Height adjustment Automatic height measurement | Operating system XP、Win7/8/10 | Instant printing Automatic change code / name / date printing |
| Color output White light oil comes out at the same time | Special effects Relief / gloss | | |

Print case
It can be used in wood, glass, crystal, PVC, ABS, acrylic, metal, plastic, stone and leather Color photo printing shall be carried out on the surface of cloth and other textiles



SKP UV PRINTERS



White, glossy and oily.
Restored color

DIY UV PRINTER

Acrylic enclosure decorative painting metal PVC glass signs, handicrafts, sheet metal, etc.



Fast printing



Automatic color matching



Surface tracing



Convenient fast



Modular processing



Power off
continue printing



Laser alignment



Support multiple formats



Power failure
protection



DIY UV Printer

SKP UV Printers



9894667887



| | | | |
|-------------------------|---|----------------------------|---|
| Product name: | DIY-UV flat panel printer | Print thickness | 0~150mm |
| Assembly mode | Modular assembly | Color mode | CMYKWGO |
| Painting technology: | High Precision Piezoelectric Inkjet Technology | Print interface | USB2.0/USB3.0/Gigabit network port |
| Operating system: | WIN7 / WIN 10 | Power supply specification | AC220V/110V 50Hz/60Hz |
| Power off battery life: | Can be connected to UPS for continuous printing. | Operating language: | Chinese, English, Polish, French and other languages |
| Equipment noise: | Standby < 20DBA, exercise < 50DBA. | Ink supply system: | Drop hydraulic ink supply, Liquid level ink shortage sensing ink Box, White automatic stirring ink cartridge. |
| Printing speed: | 5-12 square /h Different configurations have different speeds. | | |
| Printing accuracy: | 720*720/1440*720/1440*1440 | Curb weight: | About 100kg |
| Print size | Width and customized length are not limited. | | |
| Use the nozzle: | Epson tx800/i1600/i3200 | | |
| Mode of operation | Touch screen control operation Touch screen computer (optional) | | |
| Printable material: | Acrylic enclosure decorative painting metal PVC glass logo signs crafts sheet metal, etc. | | |
| Print resolution | 720x360dpi, 720x720dpi, 720x1080dpi, 720x1440dpi | | |
| RIP software: | Ruicai/Montai | | |
| Overall dimensions: | 0-35 degrees, 10%-60% relative humidity | | |
| Operating environment: | 0-35 degrees, 10%-60% relative humidity | | |
| Storage method: | Certificate of conformity with national testing standards (LST181068026LR) | | |
| Ink certification: | National inspection qualified (SCLO31002363002E) CE certification. | | |
| Quality certification: | 3500*700*800MM (different sizes of customized models) | | |

SKP UV Printers



9894667887

CRYSTAL LABEL ROLL MACHINE PRINTER



Automatic laminating



Functional buttons



Large capacity ink cartridges

TechnicalParameters:

| | | | |
|-----------------|----------------------|------------------------|----------------------|
| Print head: | 2PCS EPSON XP600 | Equipment system: | Hosonsoft |
| Image Format: | TIFF/PSD | Power: | 450W |
| Printing size: | 300mm | Voltage: | 110V-220V |
| RIP software: | RIIN/MainTop | Operating Environment: | 10-35° 50-80RH |
| Color: | W+CMYK+V | Computer system: | Windows7/8/10 |
| Max Resolution: | 720*1440dpi | Data port: | Gigabit network port |
| Printing Speed: | 1.5m ² /h | Dimension: | 95cm*81cm*50cm |

Package size/Gross weight: 105*90*55/117kg


SKP UV PRINTERS

CLOTHING UV PRINTER



Technical Parameters:


| | | | |
|-----------------|------------------|------------------------|----------------------|
| Print head: | 2PCS EPSON XP600 | Equipment system: | Hosonsoft |
| Image Format: | TIFF/PSD | Power: | 450W |
| Printing size: | 300*400mm | Voltage: | 110V-220V |
| RIP software: | RIIN | Operating Environment: | 10-35° 20-80RH |
| Color: | W+CMYK | Computer system: | Windows7/8/10 |
| Max Resolution: | 720*1440dpi | Data port: | Gigabit network port |
| Printing Speed: | A3 3 minutes | Dimension: | 93cm*72cm*52cm |




Actual appearance
shooting



Strong ink
supply




High precision
motor



Moisturizing ink pad to
prevent blockage

WIDE RANGE OF APPLICATIONS, NOT LIMITED BY MATERIALS

The equipment has a wide range of printing materials, with flexible media such as timely adhesive, PVC, reflective film, oil canvas, carpet, leather, etc; Hard media such as glass, ceramic tiles, metal, ceiling, aluminum plate, woodenboard, acrylic board, organic glass board, foam board, corrugated cardboard, etc




Glass



Metal



Ceramic tiles



Glazed tiles



Wood



Mirror



Plywood



Self-Adhesive vinyl




Paper



Banner




Canvas



Composite materials



Composite panel



Lenticular plastic



Murals



Leather leatherette



Flexible stone



Chipboard tiles



Fibreboard



Medium-density Fibreboard

It can be widely used in the screen printing industry, gift processing industry, sign recognition industry, decoration industry, and personalized printing industry. Decoration, renovation industry, glass industry, furniture sliding door industry, signage industry, exhibition and display industry, cardboard packaging industry, leather textile industry, personal entrepreneurship, and opening various factories for processing and production

SKP UV PRINTERS



UV PRINTER PROFESSIONAL MANUFACTURER

By adopting advanced UV inkjet technology, it not only has the advantages of high definition, high color reproducibility, and high saturation, but also achieves extremely fine line and text output, presenting more exquisite printing effects. Meanwhile, UV inkjet technology can also print on various materials, including metal, plastic, ceramics, wood, glass, etc., making the printing range more extensive.



**SOURCE
FACTORY**

**INDEPENDENT
RESEARCH AND
DEVELOPMENT**

**HIGH QUALITY
MATERIAL
SELECTION**

**LIFETIME
TECHNICAL
SUPPORT**



SKP UV PRINTERS

PRECISION MANUFACTURING



Strong servo motor power



Ink shortage alarm device



Ink pad moisturizing



High flexible cables are durable




White ink mixing for anti-clogging




Alloy adsorption platform



High performance and high-quality control motherboard



High strength drag chain



Imported guide rail




High flexible power cord



LED light, high lifespan and strong curing.



Flat, embossed, hollowed-out, partial, matted, 3D, and other effects can be achieved immediately, with the most comprehensive effects in the same process. The equipment has passed CE certification, 3C certification, ROHS certification, quality inspection reports, trademarks, patents, etc. you can purchase authentic products with confidence to ensure that



Don't buy UV PRINTERS

1, Prepare and Research about UV PRINTERS and

take your own time to decide which type of UV PRINTER suits you.

2, UV printers can do many kinds of work,

Just it's about *your creativity and marketing talent*

to earn Money from it. So think about it twice.

3, Nowadays VARNISH Is not needed much unless there's a special need,

so decide whether you need varnish or not,

if you need Varnish then please go for

the uv machines with TWO print heads.



UV PRINTERS NEEDS DAILY MAINTENANCE FOR PRINT HEADS*

At least you have to clean the print head

automatically every day to maintain its proper results,

(As the uv ink curing depends on the

temperature this process is needed)



This is the main things you have to consider before buying UV PRINTERS



Welcome to

SKP UV PRINTERS

**WE ARE SPECIALIST IN
CUSTOMISING UV PRINTERS
AS PER YOUR NEED**

I am SKP (Sathish Kumar Palaniappan)

Managing Director of SKP UV PRINTERS.

**We are located at 18 , A K Ramasamy Nagar , Police Station Street,
Sulur -641012**

**We have all types of Brand new UV PRINTERS, all types of spares
and accessories for UV printers, with One year Warranty, and
online guidance and teaching.**

**We have collaborated with 18 years of experience in the UV PRINTER
Manufacturing Factory in China,**



SKP UV Printers



9894667887